

Concealed Flush Door Systems



Concealed flush door systems


A frameless door system brings contemporary elegance to interiors. It is suitable for both solid and stud walling and comes in a range of finishes and sizes. With their easy installation and adjustability, concealed doors bring a wealth of design possibilities to interior schemes.

Flush Fitting
Modern Contemporary Design
Fully Reversible
Modular
Fire Rated
Matching Ironmongery Available


These beautifully designed concealed flush door systems are manufactured in Belgium by Xinnix, a specialist door systems company. Xinnix pronounced 'Zinnix', means Xin I see, and Nix Nothing. So literally 'I see nothing' - a very apt name for flush fitting and pocket doors with minimal disturbance to the contemporary lines of the room and the views from one room to another. Cooke Brothers are suppliers and stockists of Xinnix door systems in the UK.

Official UK Distributor





Fixed single door sizes													
product	width	height	door	thickness pull	max door weight	push	pull	hinges included	latch included ^{**}	gasket included	door furniture	door ty	ype*
FD245	826 mm	2040 mm	55 mm	44–45 mm	80 kg	1	1	1	/	1	Not included see pages	Rebated	Plain
FD245	926 mm	2040 mm	55 mm	44–45 mm	80 kg	1	1	1	1	1	10 & 11 for options	Rebated	Plain




The number of hinges supplied is according to the chosen door height.

Minimum wall thickness 80mm.

Construction size: door width +70mm, door height +35mm.

Suitable for all wall types - plaster, plasterboard, HPL, veneer, tile finish. See page 7 for illustrations.

Reducible single door sizes											
product	max width	max height	door thickness	max door weight	push	pull	hinges included	latch included**	gasket included	door furniture	door type*
FD45	1030 mm	2410 mm	44 – 45 mm	80 kg	1	1	1	1	1	Not included	Rebated
FD45	1030 mm	2710 mm	44 – 45 mm	80 kg	1	1	1	1	1	see pages 10 & 11	Rebated
FD45	1030 mm	3010 mm	44 – 45 mm	80 kg	1	1	1	1	1	for options	Rebated





The number of hinges supplied is according to the chosen door height.

Minimum wall thickness 75mm.

Construction size: door width +70mm, door height +35mm.

Suitable for plaster and plasterboard walls, painted finish.





ACCESSORIES / DOOR HARDWARE

See pages 10 & 11 for options

Handles

Locks - optional lock types, standard latch included with system

Escutcheons

Hinges - optional hinges types, standard included with system

Gaskets - included with system

Finishing Profiles

Integrated Door Closers/Restrictors

Plinths


Other concealed flush door systems available on request for doors of bespoke sizes, floor to ceiling height, fire, acoustic and double doors.

^{*} Door not included. Please enquire for door options.

^{**} Standard latch included. Please specify locking requirements.

^{*} Door not included. Please enquire for door options.

^{**} Standard latch included. Please specify locking requirements.







Door system options

Our concealed flush door systems are available in a variety of options to allow for any contemporary, minimalist interior. These include:

Floor to ceiling height doors Double door systems Fire and riser doors Acoustic doors Integrated door stops/restrictors

Please contact us for your custom requirements.



FLOOR TO CEILING HEIGHT



DOUBLE DOORS



FIRE & RISER DOORS



ACOUSTIC DOORS



INTEGRATED DOOR STOPS

Accessories

Select from our standard range available or you can source your own accessories. More options are available upon request. Please contact sales for information.

Handles



FDA-RF150



FDA-RF150.P



FDA-IT2001



FDA-A002.B



Privacy Set





FDA-1500.40WC FDA-RF.WC.P FDA-1500.50WC



FDA-IT.WC



FDA-NH100I



FDA-A002WC.B



FDA-A001WC.W

Escutcheons



FDA-IT.BB



FDA-IT002.BB



FDA-IT.PZ

FDA-IT002.PZ





FDA-A001BB.B





FDA-A001PZ.W



FDA-PZ

Horizontal & Vertical Flush



Horizontal Pull - 180 x 45 mm Matt Nickel, White & Black



Vertical Pull – 160 x 25 mm Matt Nickel, White & Black

Door Locks & Latches

A standard magnetic latch is included with the complete system. Alternative, optional lock types are also available: DIN lock Handle free Push and Go Magnetic roller lock Security lock Access Control

Accessories

Hinges

A set of standard hinges are included with the complete door system. Alternative hinges are available.







*available soon

Finishing Profiles

- 600	17	
-	1	
4		

120mm	(4 x 2200) + (2x1100)mm 2200 - 2600 - 3000mm	1 kit = 2 single doors 5 pieces
140mm	(2 x 2088) + (1 x 1044)mm	1 kit = 1 single door
260mm	2200 - 3000mm	1 piece

FDA-FIN

Gaskets

Gaskets are included with the complete door system.



For use with FD2-45



Integrated Door Closers/Restrictors





Recessed version - 9mm PI P50




Flush version with cover PLP50 + PLP50 Cover




Flush version with cover and stainless steel topplate PLP50 + PLP50 Cover + PLP50-RVS



Flush version with stone plinth PLP50 + stone plinth (not included)



Flush version with HPL plinth PLP50 + HPL plinth (not included)



Universal integrated plinths

- Aluminium plinth suitable for recessed and flush finish
- Suitable for plaster or plasterboard walls
- Untreated, natural matt anodized or white coated profiles
- Suitable for use with stainless steel, wood, stone and HPL covers.
- Possibility to glue a stainless steel top plate on the cover profile
- Installation and adjustment pieces also available
- Mechanically fixed or invisibly glued in the wall construction
- Available in 2m and 3m lengths, 50 x 13mm or 50 x 4mm options.



Corner and Connecting Pieces



PLP50-C001 connection part PLP50-PLP50



PI P50-C002 junction part PLP50-door profile



PI P50-C003 end piece PLP50

Precut angle PLP50 +45 degrees -45 degrees







Inside corner PLP50-A045

Outside corner PI P50-A045



Concealed Flush Door Systems

Official UK Distributor

